

REFERENCES

- Center for Applied Bioassessment and Biocriteria. 2003. Comparison of biological-based and water chemistry-based aquatic life attainment/impairment measures under a tiered aquatic life use system. Aquatic Life Use Attainment Fact Sheet 3-CABB-03. CABB, P.O. Box 21541, Columbus, Ohio 43221-0541.
- Cooly, J.L. 1976. Nonpoint pollution and water quality monitoring. *J. Soil Water Cons.*, March-April: 42-43.
- DeShon, J. E. 1995. Development and application of the Invertebrate Community Index (ICI). Pages 217 - 243 in W. Davis and T. Simon (eds.). *Biological Assessment and Criteria: Tools for Water Resource Planning and Decision Making*. Lewis Publishers, Boca Raton, FL.
- Dimond, J. B., and R. B. Owen. 1996. Long-term residue of DDT compounds in forest soils in Maine. *Environmental Pollution* 92(2): 227-230.
- Illinois DNR. 2001. IDNR stream fisheries sampling guidelines. Watershed Protection Section, Springfield, IL. 9 pp.
- Illinois EPA. 2005. Methods of collecting macroinvertebrates in streams (July 11, 2005 draft). Bureau of Water, Springfield IL. BOW No. xxxx. 6 pp.
- Illinois EPA. 2004a. Total maximum daily loads for the East Branch of the DuPage River, Illinois (final report). CH2M Hill, Inc., St. Louis, MO. 53 pp. + appendices.
- Illinois EPA. 2004b. Total maximum daily loads for the West Branch of the DuPage River, Illinois (final report). CH2M Hill, Inc., St. Louis, MO. 73 pp. + appendices.
- Illinois EPA. 2004a. Total maximum daily loads for Salt Creek, Illinois (final report). CH2M Hill, Inc., St. Louis, MO. 73 pp. + appendices.
- Illinois EPA. 2002. Water monitoring strategy 2002-2006. Bureau of Water, Springfield, IL.
- Illinois EPA. 1997. Quality assurance methods manual. Section G: Procedures for fish sampling, electrofishing safety, and fish contaminant methods. Bureau of Water, Springfield, IL. 39 pp.
- Intergovernmental Task Force on Monitoring Water Quality (ITFM). 1992. Ambient water quality monitoring in the United States: first year review, evaluation, and recommendations. A report to the Office of Budget and Management, U.S. Geological Survey, Washington, DC. 26 pp. + appendices.

- ITFM (Intergovernmental Task Force on Monitoring Water Quality). 1995. The strategy for improving water-quality monitoring in the United States. Final report of the Intergovernmental Task Force on Monitoring Water Quality. Interagency Advisory Committee on Water Data, Washington, D.C. + Appendices.
- Karr, J.R. and C.O. Yoder. 2004. Biological assessment and criteria improve TMDL planning and decision-making. *Journal of Environmental Engineering* 130(6): 594-604.
- Karr, J. R., K. D. Fausch, P. L. Angermier, P. R. Yant, and I. J. Schlosser. 1986. Assessing biological integrity in running waters: a method and its rationale. *Illinois Natural History Survey Special Publication* 5: 28 pp.
- Karr, J. R. 1991. Biological integrity: a long-neglected aspect of water resource management. *Ecological Applications* 1: 66-84.
- Kopec, J. and Lewis, S. 1983. Stream quality monitoring, Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Scenic Rivers Program, Columbus, Ohio, 20 pp.
- MacDonald, D. D., C. G. Ingersoll, and T. A. Berger. 2000. Development and evaluation of consensus-based sediment quality guidelines for freshwater ecosystems. *Arch. Environ. Contam. Toxicol.* 39: 20-31.
- Midwest Biodiversity Institute (MBI). 2006a. Bioassessment Plan for the DuPage and Salt Creek Watersheds. DuPage and Cook Counties, Illinois. Technical Report MBI/03-06-1. Submitted to Conservation Foundation, Naperville, IL. 45 pp.
- Midwest Biodiversity Institute (MBI). 2006b. Quality Assurance Project Plan: Biological and Water Quality Assessment of the DuPage and Salt Creek Watersheds. DuPage River-Salt Creek Watershed Group, Naperville, IL. 28 pp. + appendices.
- Midwest Biodiversity Institute (MBI). 2003a. Establishing a biological assessment program at the Miami Conservancy District. MBI Tech. Rept. 01-03-2. Columbus, OH. 26 pp.
- Midwest Biodiversity Institute (MBI). 2003b. State of Rhode Island and Providence Plantations five-year monitoring strategy 2004-2009. MBI Tech. Rept. 02-07-3. Columbus, OH. 41 pp. + appendices.
- Midwest Biodiversity Institute (MBI). 2004. Region V state bioassessment and ambient monitoring programs: initial evaluation and review. Report to U.S. EPA, Region V. Tech. Rept. MBI/01-03-1. 36 pp. + appendices (revised 2004).
- Miltner, R.J., D. White, and C.O. Yoder. 2003. The biotic integrity of streams in urban and suburbanizing landscapes. *Landscape and Urban Planning* 69 (2004): 87-100

- Miltner, R. J., and Rankin, E. T. 1998. Primary nutrients and the biotic integrity of rivers and streams. *Freshwater Biology* 40, 145–158.
- Miner, R., and D. Barton. 1991. Considerations in the development and implementation of biocriteria. Pages 115-119 in G. H. Flock (editor). *Water Quality Standards for the 21st Century*. Proceedings of a National Conference. U.S. Environmental Protection Agency, Office of Water, Washington, D.C.
- Mitzelfelt, J. D. 1996. Sediment classification for Illinois inland lakes (1996 update). Illinois Environmental Protection Agency, Bureau of Water, Division of Water Pollution Control, Planning Section, Lake and Watershed Unit.
- Ohio Environmental Protection Agency. 1996a. The Ohio EPA bioassessment comparability project: a preliminary analysis. Ohio EPA Tech. Bull. MAS/1996-12-4. Division of Surface Water, Monitoring and Assessment Section, Columbus, Ohio. 26 pp.
- Ohio Environmental Protection Agency. 1998. Empirically derived guidelines for determining water quality criteria for iron protective of aquatic life in Ohio rivers and streams. Ohio Environmental Protection Agency, Columbus, OH. Technical Bulletin MAS\1998-0-1.
- Ohio Environmental Protection Agency. 1999. Ohio EPA Five Year Monitoring Surface Water Monitoring and Assessment Strategy, 2000-2004. Ohio EPA Tech. Bull. MAS/1999-7-2. Division of Surface Water, Monitoring and Assessment Section, Columbus, Ohio.
- Ohio Environmental Protection Agency. 1987a. Biological criteria for the protection of aquatic life. volume II: User's manual for the biological assessment of Ohio surface waters. Division of Water Quality Monitoring and Assessment, Columbus, Ohio.
- Ohio Environmental Protection Agency. 1987b. Biological criteria for the protection of aquatic life. volume III: Standardized biological field sampling and laboratory methods for assessing fish and macroinvertebrate communities, Division of Water Quality Monitoring and Assessment, Columbus, Ohio.
- Ontario Ministry of the Environment. 1993. Guidelines for the protection and management of aquatic sediment quality in Ontario. OMOE, Toronto.
- Rankin, E. T. 1995. The use of habitat assessments in water resource management programs, pages 181-208. in W. Davis and T. Simon (eds.). *Biological Assessment and Criteria: Tools for Water Resource Planning and Decision Making*. Lewis Publishers, Boca Raton, FL.
- Rankin, E. T. 1989. The qualitative habitat evaluation index (QHEI), rationale, methods, and application, Ohio EPA, Division of Water Quality Planning and Assessment, Ecological Assessment Section, Columbus, Ohio.

- Sanders, R. E., Miltner, R. J., Yoder, C. O., & Rankin, E. T. (1999). The use of external deformities, erosions, lesions, and tumors (DELT anomalies) in fish assemblages for characterizing aquatic resources: A case study of seven Ohio streams. In T. P. Simon (Ed.), *Assessing the sustainability and biological integrity of water resources using fish communities* (pp. 225–248). Boca Raton, FL: CRC.
- Shen, L., F. Wania, Y. D. Lei, C. Teixeira, D. C. G. Muir, and T. F. Bidleman. Atmospheric distribution and long-range transport behavior of organochlorine pesticides in North America. *Environmental Science and Technology* 39(2): 409-420.
- Smith, P. W. 1979. *The Fishes of Illinois*. University of Illinois Press.
- Terrell, C.R. and P.B. Perfetti. 1990. *Water quality indicators guide: surface waters*. U.S. Dept. of Agriculture, Soil Conservation Service, SCS TP 183.
- USDA. 1997. *Pesticide data program, annual summary, calendar year 2006*. United States Department of Agriculture, Washington, D. C.
- U.S. Environmental Protection Agency. 1995a. *Environmental indicators of water quality in the United States*. EPA 841-R-96-002. Office of Water, Washington, DC 20460. 25 pp.
- U.S. Environmental Protection Agency. 1995b. *A conceptual framework to support development and use of environmental information in decision-making*. EPA 239-R-95-012. Office of Policy, Planning, and Evaluation, Washington, DC 20460. 43 pp.
- U.S. Environmental Protection Agency. 1991a. *Environmental monitoring and assessment program. EMAP - surface waters monitoring and research strategy - fiscal year 1991*, EPA/600/3-91/022. Office of Research and Development, Environmental Research Laboratory, Corvallis, OR. 184 pp.
- U.S. Environmental Protection Agency. 2000. *Ambient water quality criteria recommendations information supporting the development of state and tribal nutrient criteria for rivers and streams in nutrient ecoregion VI*. Office of Water, Office of Science and Technology, Health and Ecological Criteria Division. Washington, D.C. EPA 822-B-00-017.
- Wetzel, R. G. 1983. *Limnology*, 2nd ed. SCP.
- Yoder, C.O. and 9 others. 2005. *Changes in fish assemblage status in Ohio's nonwadeable rivers and streams over two decades*, pp. 399-429. in R. Hughes and J. Rinne (eds.). *Historical changes in fish assemblages of large rivers in the America's*. American Fisheries Society Symposium Series.
- Yoder, C.O. and J.E. DeShon. 2003. *Using Biological Response Signatures Within a Framework of Multiple Indicators to Assess and Diagnose Causes and Sources of Impairments to Aquatic*

Assemblages in Selected Ohio Rivers and Streams, pp. 23-81. in T.P. Simon (ed.). Biological Response Signatures: Patterns in Biological Integrity for Assessment of Freshwater Aquatic Assemblages. Lewis Publishers, Boca Raton, FL.

Yoder, C.O. 1998. Important concepts and elements of an adequate State watershed monitoring and assessment program. Prepared for U.S. EPA , Office of Water (Coop. Agreement CX825484-01-0) and ASIWPCA, Standards and Monitoring. Ohio EPA, Division of Surface Water, Columbus, OH. 38 pp.

Yoder, C.O. and E.T. Rankin. 1998. The role of biological indicators in a state water quality management process. J. Env. Mon. Assess. 51(1-2): 61-88.

Yoder, C.O. and E.T. Rankin. 1995. Biological response signatures and the area of degradation value: new tools for interpreting multimetric data, pp. 263-286. in W. Davis and T. Simon (eds.). Biological Assessment and Criteria: Tools for Water Resource Planning and Decision Making. Lewis Publishers, Boca Raton, FL.

Yoder, C.O. 1995. Policy issues and management applications for biological criteria, pp. 327-344. in W. Davis and T. Simon (eds.). Biological Assessment and Criteria: Tools for Water Resource Planning and Decision Making. Lewis Publishers, Boca Raton, FL.

Yoder, C. O. 1989. The development and use of biological criteria for the Ohio surface waters. Pages 39-146 in G. H. Flock (editor). Water Quality Standards for the 21st Century. Proceedings of a National Conference. U.S. Environmental Protection Agency, Office of Water, Washington, D.C.

Yoder, C. O. 1991. The integrated biosurvey as a tool for evaluation of aquatic life use attainment and impairment in Ohio surface waters. Pages 110-122 in Biological Criteria: Research and Regulation, Proceedings of Symposium, 12-13 December 1990, Arlington, Virginia. EPA-440-5-91-005. U.S. Environmental Protection Agency, Office of Water, Washington, D.C.